# THE ASTROPHYSICAL JOURNAL

## CONTENTS OF VOLUME 426, PART 1

1994 MAY 1, Number 1


| | Page | Fiche |
|---|---|---|
| CLUSTER EVOLUTION AND MICROWAVE SOURCE COUNTS<br>*M. Markevitch, G. R. Blumenthal, W. Forman, C. Jones, & R. A. Sunyaev* | 1 | 96-B1 |
| KURTOSIS AND LARGE-SCALE STRUCTURE<br>*Paolo Catelan & Lauro Moscardini* | 14 | 96-C2 |
| IS THE UNIVERSE GRAVITATIONALLY DOMINATED BY NONBARYONIC DARK MATTER?<br>*Makoto Hattori* | 19 | 96-C9 |
| POWER-SPECTRUM ANALYSIS OF THREE-DIMENSIONAL REDSHIFT SURVEYS<br>*Hume A. Feldman, Nick Kaiser, & John A. Peacock* | 23 | 96-D2 |
| COSMOLOGY WITH POWERFUL EXTENDED RADIO SOURCES<br>*Ruth A. Daly* | 38 | 96-E5 |
| EQUIPARTITION BRIGHTNESS TEMPERATURE AND THE INVERSE COMPTON CATASTROPHE<br>*Anthony C. S. Readhead* | 51 | 96-F6 |
| GRAVITATIONAL LENS INVERSION USING THE MAXIMUM ENTROPY METHOD<br>*Sylvanie Wallington, Ramesh Narayan, & Christopher S. Kochanek* | 60 | 96-G3 |
| GRAVITY WAVE WATCHING<br>*Redouane Fakir* | 74 | 97-A5 |
| METAL ENRICHMENT, DUST, AND STAR FORMATION IN GALAXIES AT HIGH REDSHIFTS. III. Zn AND Cr ABUNDANCES FOR 17 DAMPED LYMAN-ALPHA SYSTEMS<br>*Max Pettini, Linda J. Smith, Richard W. Hunstead, & David L. King* | 79 | 97-A12 |
| FAR-INFRARED PROPERTIES OF EARLY-TYPE GALAXIES<br>*P. Mazzei & G. De Zotti* | 97 | 97-C5 |
| A STUDY OF M31, M87, NGC 253, AND M82 IN HIGH-ENERGY GAMMA RAYS<br>*P. Sreekumar, D. L. Bertsch, B. L. Dingus, J. A. Esposito, C. E. Fichtel, R. C. Hartman, S. D. Hunter, G. Kanbach, D. A. Kniffen, Y. C. Lin, J. R. Mattox, H. A. Mayer-Hasselwander, P. F. Michelson, C. von Montigny, P. L. Nolan, E. J. Schneid, & D. J. Thompson* | 105 | 97-D7 |
| *IRAS* COLORS WITHIN M31: EVIDENCE FOR DEFICIENCY OF VERY SMALL GRAINS?<br>*Cong Xu & George Helou* | 109 | 97-D7 |
| ISOLATING THE PHYSICAL PARAMETERS OF SYNCHROTRON SOURCES<br>*Debora M. Katz-Stone & Lawrence Rudnick* | 116 | 97-E2 |
| A VERY METAL POOR H II REGION IN THE OUTER DISK OF M101<br>*Donald R. Garnett & Robert C. Kennicutt, Jr.* | 123 | 97-F1 |
| AN UPPER LIMIT TO THE ELECTRODYNAMIC POWER OUTPUT FROM A THIN ACCRETION DISK AROUND A BLACK HOLE<br>*Seok Jae Park & Ethan T. Vishniac* | 131 | 97-F11 |
| OXYGEN ABUNDANCES IN LOW SURFACE BRIGHTNESS DISK GALAXIES<br>*Stacy S. McGaugh* | 135 | 97-G3 |
| *HUBBLE SPACE TELESCOPE* OBSERVATIONS OF PLANETARY NEBULAE IN THE MAGELLANIC CLOUDS. II. SMP 85, A YOUNG PLANETARY<br>*Michael A. Dopita, Emanuel Vassiliadis, Stephen J. Meatheringham, Holland C. Ford, Ralph Bohlin, Peter R. Wood, Theodore P. Stecher, Stephen P. Maran, & J. Patrick Harrington* | 150 | 98-A6 |
| Be STARS IN YOUNG CLUSTERS<br>*Shaukat N. Goderya & Edward G. Schmidt* | 159 | 98-B3 |

| | Page | Fiche |
|---|---|---|
| THE GAP IN THE COLOR-MAGNITUDE DIAGRAM OF NGC 2420: A TEST OF CONVECTIVE OVERSHOOT AND CLUSTER AGE<br>*Pierre Demarque, Ata Sarajedini, & X.-J. Guo* | 165 | 98-B12 |
| CHEMICAL EVOLUTION OF THE ORION ASSOCIATION. II. THE CARBON, NITROGEN, OXYGEN, SILICON, AND IRON ABUNDANCES OF MAIN-SEQUENCE B STARS<br>*Katia Cunha & David L. Lambert* | 170 | 98-C5 |
| ON THE VELOCITY DISPERSION IN THE CORE OF THE GLOBULAR CLUSTER M15<br>*P. Dubath, G. Meylan, & M. Mayor* | 192 | 98-E2 |
| MOMENTUM TRANSFER BY ASTROPHYSICAL JETS<br>*Lawrence Chernin, Colin Masson, Elisabete M. Gouveia Dal Pino, & Willy Benz* | 204 | 98-F2 |
| SUBMILLIMETER OBSERVATIONS OF CO IN THE W3 CORE<br>*Tatsuhiko I. Hasegawa, George F. Mitchell, Henry E. Matthews, & Linda Tacconi* | 215 | 98-G1 |
| A $C^{18}O$ ($J$ = 1–0) SURVEY OF PROTOSTELLAR CANDIDATES EMBEDDED IN THE TAURUS MOLECULAR CLOUD<br>*Masahiko Hayashi, Tetsuo Hasegawa, Nagayoshi Ohashi, & Kazuyoshi Sunada* | 234 | 99-A8 |
| SOLID CARBON MONOXIDE IN THE SERPENS DARK CLOUD<br>*J. E. Chiar, A. J. Adamson, T. H. Kerr, & D. C. B. Whittet* | 240 | 99-B2 |
| APERTURE SYNTHESIS IMAGING OF PARTIALLY IONIZED GAS IN W48<br>*Joseph S. Onello, J. A. Phillips, P. Benaglia, W. M. Goss, & Yervant Terzian* | 249 | 99-B13 |
| A STATISTICAL EQUILIBRIUM ANALYSIS OF INTERSTELLAR CO TOWARD ζ OPHIUCHI AS RECORDED BY THE GODDARD HIGH RESOLUTION SPECTROGRAPH<br>*Cheng-Hsuan Lyu, Andrew M. Smith, & Frederick C. Bruhweiler* | 254 | 99-C7 |
| ASYMPTOTIC DOMINATION OF COLD RELATIVISTIC MHD WINDS BY KINETIC ENERGY FLUX<br>*Mitchell C. Begelman & Zhi-Yun Li* | 269 | 99-D9 |
| EXTINCTION, EJECTA MASSES, AND RADIAL VELOCITIES OF NOVAE<br>*Robert E. Williams* | 279 | 99-E8 |
| 1ES 1113+432: LUMINOUS, SOFT X-RAY OUTBURST FROM A NEARBY CATACLYSMIC VARIABLE (AR URSAE MAJORIS)<br>*R. A. Remillard, J. F. Schachter, A. D. Silber, & P. Slane* | 288 | 99-F5 |
| *HST* ECLIPSE MAPPING OF DWARF NOVA OY CARINAE IN QUIESCENCE: AN "Fe II CURTAIN" WITH MACH ≅ 6 VELOCITY DISPERSION VEILS THE WHITE DWARF<br>*Keith Horne, T. R. Marsh, F. H. Cheng, Ivan Hubeny, & Thierry Lanz* | 294 | 99-G1 |
| TIME-DEPENDENT DISK ACCRETION IN X-RAY NOVA MUSCAE 1991<br>*Shin Mineshige, Akira Hirano, Shunji Kitamoto, Tatsuya T. Yamada, & Jun Fukue* | 308 | 100-A3 |
| SIMULTANEOUS SOFT AND HARD X-RAY SPECTROSCOPY OF AM HERCULIS WITH *EXOSAT*: DISCOVERY OF PHOTOSPHERIC ABSORPTION FEATURES<br>*Frits Paerels, John Heise, & André van Teeseling* | 313 | 100-A10 |
| ELECTRON INJECTION AND ACCELERATION AT NONLINEAR SHOCKS: RESULTS OF NUMERICAL SIMULATIONS<br>*Amir Levinson* | 327 | 100-C1 |
| MODELING AND INTERPRETATION OF THE OPTICAL AND *HST* UV SPECTRUM OF SN 1993J<br>*E. Baron, P. H. Hauschildt, & D. Branch* | 334 | 100-C11 |
| STELLAR SPECTRAL CLASSIFICATION USING AUTOMATED SCHEMES<br>*R. K. Gulati, Ranjan Gupta, Pradeep Gothoskar, & Shyam Khobragade* | 340 | 100-D5 |
| LOW-VELOCITY VARIABILITY IN THE STELLAR WIND OF HD 152408 (O8: Iafpe)<br>*Raman K. Prinja & A. W. Fullerton* | 345 | 100-D12 |
| NUCLEOSYNTHESIS IN THE Cd-In-Sn REGION<br>*Zs. Németh, F. Käppeler, C. Theis, T. Belgya, & S. W. Yates* | 357 | 100-E12 |
| COSMIC-RAY ISOTOPIC COMPOSITION OF C, N, O, Ne, Mg, Si NUCLEI IN THE ENERGY RANGE 50–200 MeV PER NUCLEON MEASURED BY THE *VOYAGER* SPACECRAFT DURING THE SOLAR MINIMUM PERIOD<br>*A. Lukasiak, P. Ferrando, F. B. McDonald, & W. R. Webber* | 366 | 100-F10 |
| THE CORONAL ELECTRON DENSITY DISTRIBUTION DETERMINED FROM DUAL-FREQUENCY RANGING MEASUREMENTS DURING THE 1991 SOLAR CONJUNCTION OF THE *ULYSSES* SPACECRAFT<br>*M. K. Bird, H. Volland, M. Pätzold, P. Edenhofer, S. W. Asmar, & J. P. Brenkle* | 373 | 100-G5 |
| ON THE APPARENT VELOCITY OF INTEGRATED SUNLIGHT. II. 1983–1992 AND COMPARISONS WITH MAGNETOGRAMS<br>*Drake Deming & Claude Plymate* | 382 | 101-A2 |

# CONTENTS


| | Page | Fiche |
|---|---|---|
| SOLAR FLARE MODEL ATMOSPHERES<br>*Suzanne L. Hawley & George H. Fisher* | 387 | 101-A9 |
| A HIGH-RESOLUTION STUDY OF THE STRUCTURE OF SUNSPOT LIGHT BRIDGES AND ABNORMAL GRANULATION<br>*Michal Sobotka, José A. Bonet, & Manuel Vázquez* | 404 | 101-C1 |
| THE SOLAR ABUNDANCE OF HELIUM DETERMINED FROM A REDSHIFTED PLASMA FLOW OVER A SUNSPOT<br>*J. M. Laming & U. Feldman* | 414 | 101-D3 |
| VLA STEREOSCOPY OF SOLAR ACTIVE REGIONS. I. METHOD AND TESTS<br>*Markus J. Aschwanden & T. S. Bastian* | 425 | 101-E2 |
| VLA STEREOSCOPY OF SOLAR ACTIVE REGIONS. II. ALTITUDE, RELATIVE MOTION, AND CENTER-TO-LIMB DARKENING OF 20 CENTIMETER EMISSION<br>*Markus J. Aschwanden & T. S. Bastian* | 434 | 101-E13 |
| ELECTRON COLLISIONAL EXCITATION STRENGTHS FOR Fe XVI<br>*S. S. Tayal* | 449 | 101-G3 |
| Si XIII EMISSION LINES IN SOLAR FLARE X-RAY SPECTRA OBTAINED WITH THE *P78–1* SATELLITE<br>*F. P. Keenan, D. L. McKenzie, K. J. H. Phillips, & E. S. Conlon* | 454 | 101-G10 |
| INSTRUCTIONS TO AUTHORS | i | |


## 1994 MAY 10, Number 2


| | | |
|---|---|---|
| COUNTS OF GALAXIES IN A MERGER MODEL<br>*P. Colín, D. N. Schramm, & M. Peimbert* | 459 | 104-B1 |
| MEASURING THE HUBBLE CONSTANT AND OUR VIRGO-INFALL VELOCITY INDEPENDENTLY<br>*Nanyao Y. Lu, E. E. Salpeter, & G. Lyle Hoffman* | 473 | 104-C4 |
| TOWARD ESTIMATION OF $H_0$ FROM VLBI OBSERVATIONS OF THE GRAVITATIONAL LENS SYSTEM 0957+561<br>*R. M. Campbell, B. E. Corey, E. E. Falco, I. I. Shapiro, M. V. Gorenstein, P. Elósegui, J. M. Marcaide, & K. Alvi* | 486 | 104-D5 |
| THE PEAK BRIGHTNESS OF SN 1937C IN IC 4182 AND THE HUBBLE CONSTANT<br>*Bradley E. Schaefer* | 493 | 104-E1 |
| TOWARD UNBIASED DETERMINATION OF THE REDSHIFT EVOLUTION OF LYMAN-ALPHA FOREST CLOUDS<br>*Limin Lu & Lin Zuo* | 502 | 104-E12 |
| RESOLVING THE BETA-DISCREPANCY FOR CLUSTERS OF GALAXIES<br>*Neta A. Bahcall & Lori M. Lubin* | 513 | 104-F11 |
| CORRELATIONS OF GALAXIES AT $z = 0.3$<br>*G. M. Bernstein, J. A. Tyson, W. R. Brown, & J. F. Jarvis* | 516 | 104-G3 |
| IMAGING OF "BUTCHER-OEMLER" BLUE GALAXIES AT A REDSHIFT OF 0.2<br>*Russell J. Lavery & J. Patrick Henry* | 524 | 104-G13 |
| THE SYNCHROTRON CONTINUUM OF THE HIGHLY POLARIZED QUASAR PKS 1546+027<br>*Paul S. Smith, Gary D. Schmidt, Buell T. Jannuzi, & Richard Elston* | 535 | 105-A12 |
| THE METALLICITY DEPENDENCE OF INFERRED CEPHEID DISTANCES<br>*Andrew Gould* | 542 | 105-B7 |
| UIT: ULTRAVIOLET SURFACE PHOTOMETRY OF THE SPIRAL GALAXY M74 (NGC 628)<br>*Robert H. Cornett, Robert W. O'Connell, Michael R. Greason, Joel D. Offenberg, Ronald J. Angione, Ralph C. Bohlin, K. P. Cheng, Morton S. Roberts, Andrew M. Smith, Eric P. Smith, Fred D. Talbert, & Theodore P. Stecher* | 553 | 105-C7 |
| PROBING THE GALACTIC DISK AND HALO. I. THE NGC 3783 SIGHT LINE<br>*Limin Lu, Blair D. Savage, & Kenneth R. Sembach* | 563 | 105-D7 |
| AN ACCRETING BLACK HOLE MODEL FOR SAGITTARIUS A*. II. A DETAILED STUDY<br>*Fulvio Melia* | 577 | 105-E9 |
| ON THE OPTICAL COUNTERPARTS, LONG-TERM VARIABILITIES, RADIO JETS, AND ACCRETION SOURCES IN 1E 1740.7–2942 AND GRS 1758–258<br>*Wan Chen, Neil Gehrels, & Marvin Leventhal* | 586 | 105-F6 |

# CONTENTS


| | Page | Fiche |
|---|---|---|
| X-RAY AND GAMMA-RAY EMISSION OF SAGITTARIUS A* AS A WIND-ACCRETING BLACK HOLE<br>*A. Mastichiadis & L. M. Ozernoy* | 599 | 105-G7 |
| SPECTRAL EVOLUTION OF A SUBCLASS OF GAMMA-RAY BURSTS OBSERVED BY BATSE<br>*P. N. Bhat, Gerald J. Fishman, Charles A. Meegan, Robert B. Wilson, Chryssa Kouveliotou, William S. Paciesas, Geoffrey N. Pendleton, & Bradley E. Schaefer* | 604 | 106-A1 |
| THE DETERMINATION OF THE CORE MASS AT THE HELIUM FLASH IN GLOBULAR CLUSTER STARS<br>*Allen V. Sweigart* | 612 | 106-A11 |
| PATTERN EVOLUTION IN THERMALLY BISTABLE MEDIA<br>*Vered Aharonson, Oded Regev, & Nir Shaviv* | 621 | 106-B9 |
| GENERAL ANALYTIC RESULTS FOR NONLINEAR WAVES AND SOLITONS IN MOLECULAR CLOUDS<br>*Fred C. Adams, Marco Fatuzzo, & Richard Watkins* | 629 | 106-C5 |
| 0.95–1.3 MICRON SPECTROPHOTOMETRY OF TWO BRIGHT FILAMENTS OF THE CRAB NEBULA<br>*Richard J. Rudy, George S. Rossano, & R. C. Puetter* | 646 | 106-D10 |
| SPECTRUM OF IC 2149 AND ITS CENTRAL STAR<br>*Walter A. Feibelman, Siek Hyung, & Lawrence H. Aller* | 653 | 106-E6 |
| STRUCTURE OF STEADY STATE ACCRETION SHOCKS WITH SEVERAL COOLING FUNCTIONS: CLOSED INTEGRAL-FORM SOLUTION<br>*Kinwah Wu, G. Chanmugam, & G. Shaviv* | 664 | 106-F5 |
| MAGNETOSPHERIC ACCRETION MODELS FOR T TAURI STARS. I. BALMER LINE PROFILES WITHOUT ROTATION<br>*Lee Hartmann, Robert Hewett, & Nuria Calvet* | 669 | 106-F13 |
| EXCITATION OF NEUTRON STAR NORMAL MODES DURING BINARY INSPIRAL<br>*Andreas Reisenegger & Peter Goldreich* | 688 | 107-A6 |
| FORMATION AND EVOLUTION OF LUMINOUS SUPERSOFT X-RAY SOURCES<br>*S. Rappaport, R. Di Stefano, & J. D. Smith* | 692 | 107-A13 |
| OBSERVATIONS OF THE BRIGHT NOVALIKE VARIABLE IX VELORUM WITH THE HOPKINS ULTRAVIOLET TELESCOPE<br>*Knox S. Long, Richard A. Wade, William P. Blair, Arthur F. Davidsen, & Ivan Hubeny* | 704 | 107-B13 |
| *ROSAT* ALL-SKY SURVEY OBSERVATIONS OF X-RAY VARIABILITY IN COOL GIANT STARS<br>*Bernhard Haisch & J. H. M. M. Schmitt* | 716 | 107-C13 |
| EVOLUTION OF SOLITARY DENSITY WAVES IN STELLAR WINDS OF EARLY-TYPE STARS: A SIMPLE EXPLANATION OF DISCRETE ABSORPTION COMPONENT BEHAVIOR<br>*Wayne L. Waldron, Larry Klein, & Bruce Altner* | 725 | 107-D10 |
| SUBMILLIMETER MOLECULAR LINE OBSERVATIONS OF IRC +10216: SEARCHES FOR MgH, $SiH_2$, AND $HCO^+$, AND DETECTION OF HOT HCN<br>*L. W. Avery, M. B. Bell, C. T. Cunningham, P. A. Feldman, R. H. Hayward, J. M. MacLeod, H. E. Matthews, & J. D. Wade* | 737 | 107-E12 |
| SPONTANEOUS RECONNECTION OF LINE-TIED FLUX TUBES<br>*D. W. Longcope & H. R. Strauss* | 742 | 107-F5 |
| DIRECTIVITY OF 100–500 keV SOLAR FLARE HARD X-RAY EMISSION<br>*P. Li, K. Hurley, C. Barat, M. Niel, R. Talon, & V. Kurt* | 758 | 107-G10 |
| ARE SOLAR GAMMA-RAY-LINE FLARES DIFFERENT FROM OTHER LARGE FLARES?<br>*E. W. Cliver, N. B. Crosby, & B. R. Dennis* | 767 | 108-A8 |
| ANGULAR SCATTERING OF SOLAR RADIO EMISSION BY CORONAL TURBULENCE<br>*T. S. Bastian* | 774 | 108-B3 |
| DENSITY STRUCTURE INSIDE A POLAR CORONAL HOLE<br>*M. Guhathakurta & T. E. Holzer* | 782 | 108-B13 |
| THE EFFECT OF DIFFUSION ON SOLAR EVOLUTION<br>*Attay Kovetz & Giora Shaviv* | 787 | 108-C7 |
| MEASURING THE HELIUM ABUNDANCE IN THE SOLAR ENVELOPE: THE ROLE OF THE EQUATION OF STATE<br>*H. M. Antia & Sarbani Basu* | 801 | 108-D9 |
| FOURIER TRANSFORM SPECTROSCOPY OF THE SWAN ($d\ ^3\Pi_g$–$a\ ^3\Pi_u$) SYSTEM OF THE JET-COOLED $C_2$ MOLECULE<br>*C. V. V. Prasad & P. F. Bernath* | 812 | 108-E9 |